

Prime Therapeutics Management NCPDP D.0 Payer Specification

October 10, 2022

****Start of Request Claim Billing/Claim Re-bill (B1/B3) Payer Sheet****

General Information

Payer Name: Prime Therapeutics Management LLC	Date: May 1, 2016		
Plan Name/Group Name: Prime Therapeutics Management Employees	BIN: 017035	PCN: 605	
Plan Name/Group Name: Prime Therapeutics Commercial – CBA Blue	BIN: 017449	PCN: CBG	
Plan Name/Group Name: Prime Therapeutics Commercial – Legacy Partners Rx Clients	BIN: 015243	PCN: PRX1000	
Plan Name/Group Name: Prime Therapeutics Commercial – Lucent Technologies	BIN: 017465	PCN: LUCENT	
Plan Name/Group Name: Prime Therapeutics Commercial – Standard	BIN: 017449	PCN: 6792000	
Plan Name/Group Name: Prime Therapeutics Commercial – Employee Benefit Management Services	BIN: 017431	PCN: EBMS	
Plan Name/Group Name: FlexScripts	BIN: 017472	PCN: FLEXRX	
Plan Name/Group Name: Prime Therapeutics Commercial – Union	BIN: 017449	PCN: UNION	
Payer Name: Prime Therapeutics Management LLC	Date: July 1, 2017		
Plan Name/Group Name: Prime Therapeutics Commercial – Cash Card	BIN: 018679	PCN: 6775000	GRP: 040116
Plan Name/Group Name: Yale University	BIN: 017449	PCN: YALE	GRP: PRXYAL

Processor: Prime Therapeutics Management LLC	
Effective as of: 08/01/2014	NCPDP Telecommunication Standard Version/Release #: D.0
NCPDP Data Dictionary Version Date: In accordance with NCPDP Version Standards	NCPDP External Code List Version Date: In accordance with NCPDP Version Standards

Contact/Information Source: primetherapeutics.com	Certification Testing Window: TBD
Certification Contact Information: 804-548-0130	Provider Relations Help Desk Info: 800-424-3312
Other versions supported: No other versions supported	

Other Transactions Supported

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
E1	Eligibility Transaction

Field Legend for Columns

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of “Required” for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	“Required when”. The situations designated have qualifications for usage (“Required if x,” “Not required if y”).	Yes

Fields that are not used in the Claim Billing/Claim Re-bill transactions and those that do not have qualified requirements (i.e., not used) for this payer are excluded from the template.

Claim Billing/Claim Re-bill Transaction

The following lists the segments and fields in a Claim Billing or Claim Re-bill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Transaction Header Segment Questions	Check	Claim Billing/Claim Re-bill If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Payer Issued	X	Required when vendor certification is required by Prime Therapeutics Management LLC – otherwise submit all zeroes
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Not used		

Transaction Header Segment		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN NUMBER	See above	M	
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
104-A4	PROCESSOR CONTROL NUMBER	See above	M	Required for all claims
109-A9	TRANSACTION COUNT	Up to 4	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	01	M	
201-B1	SERVICE PROVIDER ID		M	NPI of submitting pharmacy provider
401-D1	DATE OF SERVICE		M	
110-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	Required when vendor certification is required by Prime Therapeutics Management LLC – otherwise submit all zeroes

Insurance Segment Questions	Check	Claim Billing/Claim Re-bill If Situational, Payer Situation
This Segment is always sent	X	

Insurance Segment Segment Identification (111-AM) = "Ø4"		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID		M	
312-CC	CARDHOLDER FIRST NAME		R	
313-CD	CARDHOLDER LAST NAME		R	
309-C9	ELIGIBILITY CLARIFICATION CODE		RW	<i>Imp Guide:</i> Required if needed for receiver inquiry validation and/or determination, when eligibility is not maintained at the dependent level. Required in special situations as defined by the code to clarify the

Insurance Segment Segment Identification (111-AM) = “Ø4”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				eligibility of an individual, which may extend coverage. <i>Payer Requirement: Same as Imp Guide</i>
3Ø1-C1	GROUP ID		R	See ID card.
3Ø3-C3	PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID. <i>Payer Requirement: Same as Imp Guide</i>
3Ø6-C6	PATIENT RELATIONSHIP CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the relationship of the Patient to the Cardholder. <i>Payer Requirement: Same as Imp Guide</i>

Patient Segment Questions	Check	Claim Billing/Claim Re-bill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Patient Segment Segment Identification (111-AM) = “Ø1”		Claim Billing/Claim Re-bill		
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
331-CX	PATIENT ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Patient ID (332-CY) is used. <i>Payer Requirement: Same as Imp Guide</i>
332-CY	PATIENT ID		RW	<i>Imp Guide:</i> Required if necessary for state/federal/regulatory agency programs to validate dual eligibility.

Patient Segment Segment Identification (111-AM) = “Ø1”		Claim Billing/Claim Re-bill		
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
				<i>Payer Requirement: Same as Imp Guide</i>
3Ø4-C4	DATE OF BIRTH		R	
3Ø5-C5	PATIENT GENDER CODE		R	
31Ø-CA	PATIENT FIRST NAME		R	
311-CB	PATIENT LAST NAME		R	
3Ø7-C7	PLACE OF SERVICE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement: Same as Imp Guide</i>
333-CZ	EMPLOYER ID		RW	<i>Imp Guide:</i> Required if “required by law” as defined in the HIPAA final Privacy regulations section 164.5Ø1 definitions (45 CFR Parts 16Ø and 164 Standards for Privacy of Individually Identifiable Health Information; Final Rule - Thursday, December 28, 2000, page 82803 and following, and Wednesday, August 14, 2002, page 53267 and following.) Required if needed for Workers’ Compensation billing. <i>Payer Requirement: Same as Imp Guide</i>

Patient Segment Segment Identification (111-AM) = “Ø1”		Claim Billing/Claim Re-bill		
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
335-2C	PREGNANCY INDICATOR		RW	<i>Imp Guide:</i> Required if pregnancy could result in different coverage, pricing, or patient financial responsibility. Required if “required by law” as defined in the HIPAA final Privacy regulations section 164.5Ø1 definitions (45 CFR Parts 16Ø and 164 Standards for Privacy of Individually Identifiable Health Information; Final Rule- Thursday, December 28, 2000, page 82803 and following, and Wednesday, August 14, 2002, page 53267 and following.) <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
384-4X	PATIENT RESIDENCE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Claim Segment Questions	Check	Claim Billing/Claim Re-bill If Situational, Payer Situation
This Segment is always sent	X	
This payer supports partial fills	X	
This payer does not support partial fills		

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	<i>Imp Guide:</i> For Transaction Code of “B1,” in the Claim Segment, the

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER		M	
4Ø7-D7	PRODUCT/SERVICE ID		M	
456-EN	ASSOCIATED PRESCRIPTION/SERVICE REFERENCE NUMBER		RW	<i>Imp Guide:</i> Required if the “completion” transaction in a partial fill (Dispensing Status (343-HD) = “C” (Completed)). Required if the Dispensing Status (343-HD) = “P” (Partial Fill) and there are multiple occurrences of partial fills for this prescription. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
457-EP	ASSOCIATED PRESCRIPTION/SERVICE DATE		RW	<i>Imp Guide:</i> Required if the “completion” transaction in a partial fill (Dispensing Status (343-HD) = “C” (Completed)). Required if Associated Prescription/Service Reference Number (456-EN) is used. Required if the Dispensing Status (343-HD) = “P” (Partial Fill) and there are multiple occurrences of partial fills for this prescription. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
458-SE	PROCEDURE MODIFIER CODE COUNT	Maximum count of 1Ø.	RW	<i>Imp Guide:</i> Required if Procedure Modifier Code (459-ER) is used.

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				<i>Payer Requirement: Same as Imp Guide</i>
459-ER	PROCEDURE MODIFIER CODE		RW	<i>Imp Guide:</i> Required to define a further level of specificity if the Product/Service ID (4Ø7-D7) indicated a Procedure Code was submitted. Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement: Same as Imp Guide</i>
442-E7	QUANTITY DISPENSED		R	
460-ET	QUANTITY PRESCRIBED		RW	<i>Imp Guide:</i> Required when a transmission is for a Scheduled II drug as defined in 21 CFR 1308.12 and per CMS-0055-F (Compliance Date 09/21/2020. Refer to the <i>Version D.0 Editorial Document</i>).
4Ø3-D3	FILL NUMBER		R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE		R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/ PRODUCT SELECTION CODE		R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED		R	
419-DJ	PRESCRIPTION ORIGIN CODE		R	
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Submission Clarification Code (42Ø-DK) is used.

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				<i>Payer Requirement: Same as Imp Guide</i>
42Ø-DK	SUBMISSION CLARIFICATION CODE		RW	<i>Imp Guide:</i> Required if clarification is needed and value submitted is greater than zero (Ø). If used for HIV PrEP indicator, enter value of “10” for \$0.00 co-pay and SCC of “1” for a non-HIV PrEP indicator for ACA Plans only. <i>Payer Requirement: Same as Imp Guide</i>
3Ø8-C8	OTHER COVERAGE CODE		RW	<i>Imp Guide:</i> Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers. Required for Coordination of Benefits. <i>Payer Requirement: Values accepted 00, 01, 02, 03, 04, and 08. See ECL for value definition</i> <i>Payer Requirement: Same as Imp Guide</i>
429-DT	SPECIAL PACKAGING INDICATOR		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.
454-EK	SCHEDULED PRESCRIPTION ID NUMBER		RW	<i>Imp Guide:</i> Required if necessary for state/federal/regulatory agency programs. <i>Payer Requirement: Follow State regulatory guidance for products that require a scheduled prescription ID number.</i>

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
6ØØ-28	UNIT OF MEASURE		R	
418-DI	LEVEL OF SERVICE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
461-EU	PRIOR AUTHORIZATION TYPE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
343-HD	DISPENSING STATUS		RW	<i>Imp Guide:</i> Required for the partial fill or the completion fill of a prescription. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
344-HF	QUANTITY INTENDED TO BE DISPENSED		RW	<i>Imp Guide:</i> Required for the partial fill or the completion fill of a prescription. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
345-HG	DAYS SUPPLY INTENDED TO BE DISPENSED		RW	<i>Imp Guide:</i> Required for the partial fill or the completion fill of a prescription. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
357-NV	DELAY REASON CODE		RW	<i>Imp Guide:</i> Required when needed to specify the reason

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				that submission of the transaction has been delayed. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
391-MT	PATIENT ASSIGNMENT INDICATOR (DIRECT MEMBER REIMBURSEMENT INDICATOR)		RW	<i>Imp Guide:</i> Required when the claims adjudicator does not assume the patient assigned his/her benefits to the provider or when the claims adjudicator supports a patient determination of whether he/she wants to assign or retain his/her benefits. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
995-E2	ROUTE OF ADMINISTRATION		RW	<i>Imp Guide:</i> Required if specified in trading partner agreement. <i>Payer Requirement:</i> REQUIRED WHEN SUBMITTING COMPOUND CLAIMS
996-G1	COMPOUND TYPE		RW	<i>Imp Guide:</i> Required if specified in trading partner agreement. <i>Payer Requirement:</i> REQUIRED WHEN KNOWN FOR COMPOUND PREPARATION
147-U7	PHARMACY SERVICE TYPE		RW	<i>Imp Guide:</i> Required when the submitter must clarify the type of services being performed as a condition for proper reimbursement by the payer. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Pricing Segment Questions		Check	Claim Billing/Claim Re-bill If Situational, Payer Situation	
This Segment is always sent		X		
Pricing Segment Segment Identification (111-AM) = “11”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
409-D9	INGREDIENT COST SUBMITTED		R	
412-DC	DISPENSING FEE SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
438-E3	INCENTIVE AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
478-H7	OTHER AMOUNT CLAIMED SUBMITTED COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Other Amount Claimed Submitted Qualifier (479-H8) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
479-H8	OTHER AMOUNT CLAIMED SUBMITTED QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Amount Claimed Submitted (480-H9) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
480-H9	OTHER AMOUNT CLAIMED SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Pricing Segment Segment Identification (111-AM) = “11”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
483-HE	PERCENTAGE SALES TAX RATE SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis Submitted (484-JE) are used. Required if this field could result in different pricing. Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX). <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Pricing Segment Segment Identification (111-AM) = “11”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Rate Submitted (483-HE) are used. Required if this field could result in different pricing. Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX). <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
426-DQ	USUAL AND CUSTOMARY CHARGE		R	<i>Imp Guide:</i> Required if needed per trading partner agreement.
430-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION		R	

Pharmacy Provider Segment Questions		Check	Claim Billing/Claim Re-bill If Situational, Payer Situation	
This Segment is always sent				
This Segment is situational		X	Required only if law or regulation required.	

Pharmacy Provider Segment Segment Identification (111-AM) = “02”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
465-EY	PROVIDER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Provider ID (444-E9) is used.

Pharmacy Provider Segment Segment Identification (111-AM) = “Ø2”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
444-E9	PROVIDER ID		RW	<i>Imp Guide:</i> Required if necessary for state/federal/regulatory agency programs. Required if necessary to identify the individual responsible for dispensing of the prescription. Required if needed for reconciliation of encounter-reported data or encounter reporting. <i>Payer Requirement:</i> REQUIRED ONLY IF LAW OR REGULATION REQUIRED

Prescriber Segment Questions	Check	Claim Billing/Claim Re-bill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Prescriber Segment Segment Identification (111-AM) = “Ø3”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Prescriber ID (411-DB) is used. <i>Payer Requirement:</i> (any unique payer requirement(s))

Prescriber Segment Segment Identification (111-AM) = “Ø3”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
411-DB	PRESCRIBER ID		RW	<i>Imp Guide:</i> Required if this field could result in different coverage or patient financial responsibility. Required if necessary for state/federal/regulatory agency programs. <i>Payer Requirement:</i> (any unique payer requirement(s))
427-DR	PRESCRIBER LAST NAME		RW	<i>Imp Guide:</i> Required when the Prescriber ID (411-DB) is not known. Required if needed for Prescriber ID (411-DB) validation/clarification.

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Billing/Claim Re-bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required only for secondary, tertiary, etc claims.
Scenario 1 – Other Payer Amount Paid Repetitions Only	X	OCC codes 00, 01, 02, 03, 04 Supported.
Scenario 2 – Other Payer-Patient Responsibility Amount Repetitions and Benefit Stage Repetitions Only	X	OCC codes 08 Supported.
Scenario 3 – Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)		

If the Payer supports the Coordination of Benefits/Other Payments Segment, only one scenario method shown above may be supported per template. The template shows the Coordination of Benefits/Other Payments Segment that must be used for each scenario method. The Payer must choose the appropriate scenario method with the segment chart and delete the other scenario methods with their segment charts. See section [Coordination of Benefits \(COB\) Processing](#) for more information.

Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"		Claim Billing/Claim Re-bill Scenario 1 – Other Payer Amount Paid Repetitions Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (34Ø-7C) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
34Ø-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if identification of the Other Payer is necessary for claim/encounter adjudication. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
443-E8	OTHER PAYER DATE		RW	<i>Imp Guide:</i> Required if identification of the Other Payer Date is necessary for claim/encounter adjudication. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
341-HB	OTHER PAYER AMOUNT PAID COUNT	Maximum count of 9.	RW	<i>Imp Guide:</i> Required if Other Payer Amount Paid Qualifier (342-HC) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer Amount Paid (431-DV) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i> . See program provider requirements.

Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"		Claim Billing/Claim Re-bill Scenario 1 – Other Payer Amount Paid Repetitions Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
431-DV	OTHER PAYER AMOUNT PAID		RW	<i>Imp Guide:</i> Required if other payer has approved payment for some/all of the billing. Not used for patient financial responsibility only billing. Not used for non-governmental agency programs if Other Payer-Patient Responsibility Amount (352-NQ) is submitted. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Other Payer Reject Code (472-6E) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
472-6E	OTHER PAYER REJECT CODE		RW	<i>Imp Guide:</i> Required when the other payer has denied the payment for the billing. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"		Claim Billing Scenario 2 – Other Payer – Patient Responsibility Amount (OPPRA) Repetitions Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	Required if Other Payer ID (34Ø-7C) is used.

Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"		Claim Billing Scenario 2 – Other Payer – Patient Responsibility Amount (OPPRA) Repetitions Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
34Ø-7C	OTHER PAYER ID		RW	Required if identification of the Other Payer is necessary for claim/encounter adjudication.
443-E8	OTHER PAYER DATE		RW	Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.
353-NR	OTHER PAYER – PATIENT RESPONSIBILITY AMOUNT COUNT	Maximum count of 25.	R	Required if Other Payer – Patient Responsibility Amount Qualifier (351-NP) is used.
351-NP	OTHER PAYER – PATIENT RESPONSIBILITY QUALIFIER	Ø1 - 13	R	Code qualifying the "Other Payer-Patient Responsibility Amount (352-NQ)
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT		R	

DUR/PPS Segment Questions	Check	Claim Billing/Claim Re-bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Submitted if required to affect outcome of claim related to DUR intervention.

DUR/PPS Segment Segment Identification (111-AM) = "Ø8"		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	Maximum of 9 occurrences.	RW	<i>Imp Guide:</i> Required if DUR/PPS Segment is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

DUR/PPS Segment Segment Identification (111-AM) = “Ø8”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
44Ø-E5	PROFESSIONAL SERVICE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
441-E6	RESULT OF SERVICE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
474-8E	DUR/PPS LEVEL OF EFFORT		RW	<i>Imp Guide:</i> Required if this field could result in different

DUR/PPS Segment Segment Identification (111-AM) = “Ø8”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. <i>Payer Requirement: Same as Imp Guide</i>

Compound Segment Questions	Check	Claim Billing/Claim Re-bill If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	Submitted if the claim dispensed is a compound.

Compound Segment Segment Identification (111-AM) = “1Ø”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER		M	
489-TE	COMPOUND PRODUCT ID		M	
448-ED	COMPOUND INGREDIENT QUANTITY		M	
449-EE	COMPOUND INGREDIENT DRUG COST		R	<i>Imp Guide:</i> Required if needed for receiver claim determination when multiple products are billed.

Compound Segment Segment Identification (111-AM) = “1Ø”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
49Ø-UE	COMPOUND INGREDIENT BASIS OF COST DETERMINATION		R	<i>Imp Guide:</i> Required if needed for receiver claim determination when multiple products are billed.

Clinical Segment Questions	Check	Claim Billing/Claim Re-bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Submitted if the clinical detail will affect the outcome of claims processing.

Clinical Segment Segment Identification (111-AM) = “13”		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
491-VE	DIAGNOSIS CODE COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Diagnosis Code Qualifier (492-WE) and Diagnosis Code (424-DO) are used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
492-WE	DIAGNOSIS CODE QUALIFIER		RW	<i>Imp Guide:</i> Required if Diagnosis Code (424-DO) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
424-DO	DIAGNOSIS CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for professional pharmacy service.

Clinical Segment Segment Identification (111-AM) = "13"		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usag e	Payer Situation
				<p>Required if this information can be used in place of prior authorization.</p> <p>Required if necessary for state/federal/regulatory agency programs.</p> <p><i>Payer Requirement: Same as Imp Guide</i></p>
End of Request Claim Billing/Claim Re-bill (B1/B3) Payer Sheet				

Response Claim Billing/Claim Re-bill Payer Sheet

Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) Response

****Start of Response Claim Billing/Claim Re-bill (B1/B3) Payer Sheet****

General Information

Payer Name: Prime Therapeutics Management LLC	Date: May 1, 2016	
Plan Name/Group Name: Prime Therapeutics Management Employees	BIN: 017035	PCN: 605
Plan Name/Group Name: Prime Therapeutics Commercial – CBA Blue	BIN: 017449	PCN: CBG
Plan Name/Group Name: Prime Therapeutics Commercial – Legacy Partners Rx Clients	BIN: 015243	PCN: PRX1000
Plan Name/Group Name: Prime Therapeutics Commercial – Lucent Technologies	BIN: 017465	PCN: LUCENT
Plan Name/Group Name: Prime Therapeutics – Commercial Standard	BIN: 017449	PCN: 6792000
Plan Name/Group Name: Prime Therapeutics Commercial – Employee Benefit Management Services	BIN: 017431	PCN: EBMS
Plan Name/Group Name: FlexScripts	BIN: 017472	PCN: FLEXRX

Claim Billing/Claim Re-bill PAID (or Duplicate of PAID) Response

The following lists the segments and fields in a Claim Billing or Claim Re-bill response (Paid or Duplicate of Paid) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	<i>Sent if additional information is available from the payer/processor.</i>

Response Message Segment Identification (111-AM) = "2Ø"		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp Guide

Response Insurance Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Response Insurance Segment Segment Identification (111-AM) = "25"		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	GROUP ID		RW	<i>Imp Guide:</i> Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available. Required to identify the actual group that was used when multiple group coverages exist. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Patient Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Response Patient Segment Segment Identification (111-AM) = "29"		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
310-CA	PATIENT FIRST NAME		RW	<i>Imp Guide:</i> Required if known. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
311-CB	PATIENT LAST NAME		RW	<i>Imp Guide:</i> Required if known. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
304-C4	DATE OF BIRTH		RW	<i>Imp Guide:</i> Required if known. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	<ul style="list-style-type: none"> P = Paid D = Duplicate of Paid 	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Approved Message Code (548-6F) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
548-6F	APPROVED MESSAGE CODE		RW	<i>Imp Guide:</i> Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Segment Identification (111-AM) = “21”		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
Response Claim Segment Questions		Check	Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation	
This Segment is always sent		X		

Response Claim Segment Segment Identification (111-AM) = “22”		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of “B1,” in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Response Pricing Segment Segment Identification (111-AM) = “23”		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
505-F5	PATIENT PAY AMOUNT		R	
506-F6	INGREDIENT COST PAID		R	
507-F7	DISPENSING FEE PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
557-AV	TAX EXEMPT INDICATOR		RW	<i>Imp Guide:</i> Required if the sender (health plan) and/or patient is tax exempt and exemption applies to this billing. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Pricing Segment Segment Identification (111-AM) = "23"		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
558-AW	FLAT SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Percentage Sales Tax Amount Submitted (482-GE) is greater than zero (Ø). Required if Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
56Ø-AY	PERCENTAGE SALES TAX RATE PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø). <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
561-AZ	PERCENTAGE SALES TAX BASIS PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø). <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Pricing Segment Segment Identification (111-AM) = “23”		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
521-FL	INCENTIVE AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Incentive Amount Submitted (438-E3) is greater than zero (Ø). <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
563-J2	OTHER AMOUNT PAID COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
564-J3	OTHER AMOUNT PAID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
565-J4	OTHER AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Other Amount Claimed Submitted (48Ø-H9) is greater than zero (Ø). <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Pricing Segment Segment Identification (111-AM) = “23”		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
509-F9	TOTAL AMOUNT PAID		R	
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	<i>Imp Guide:</i> Required if Ingredient Cost Paid (506-F6) is greater than zero (Ø). Required if Basis of Cost Determination (432-DN) is submitted on billing. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
523-FN	AMOUNT ATTRIBUTED TO SALES TAX		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes sales tax that is the financial responsibility of the member but is not also included in any of the other fields that add up to Patient Pay Amount. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
512-FC	ACCUMULATED DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
514-FE	REMAINING BENEFIT AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes deductible <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Pricing Segment Segment Identification (111-AM) = “23”		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
518-FI	AMOUNT OF CO-PAY		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes co-pay as patient financial responsibility. <i>Payer Requirement:</i> Same as Imp Guide
520-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes amount exceeding periodic benefit maximum. <i>Payer Requirement:</i> Same as Imp Guide
572-4U	AMOUNT OF COINSURANCE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes coinsurance as patient financial responsibility. <i>Payer Requirement:</i> Same as Imp Guide
128-UC	SPENDING ACCOUNT AMOUNT REMAINING		RW	<i>Imp Guide:</i> This dollar amount will be provided, if known, to the receiver when the transaction had spending account dollars reported as part of the patient pay amount. <i>Payer Requirement:</i> Same as Imp Guide
129-UD	HEALTH PLAN-FUNDED ASSISTANCE AMOUNT		RW	<i>Imp Guide:</i> Required when the patient meets the plan-funded assistance criteria, to reduce Patient Pay Amount (505-F5). The resulting Patient Pay Amount (505-F5) must be greater than or equal to zero. <i>Payer Requirement:</i> Same as Imp Guide

Response Pricing Segment Segment Identification (111-AM) = “23”		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
133-UJ	AMOUNT ATTRIBUTED TO PROVIDER NETWORK SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
134-UK	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND DRUG		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand drug. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
135-UM	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a non-preferred formulary product. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
136-UN	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand non-preferred formulary product. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
137-UP	AMOUNT ATTRIBUTED TO COVERAGE GAP		RW	<i>Imp Guide:</i> Required when the patient's financial responsibility is due to the coverage gap. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent when DUR intervention is encountered during claim processing.

Response DUR/PPS Segment Identification (111-AM) = "24"		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if utilization conflict is detected. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
530-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response DUR/PPS Segment Segment Identification (111-AM) = “24”		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
531-FV	QUANTITY OF PREVIOUS FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (530-FU) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
570-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent when Other Health Insurance (OHI) is encountered during claims processing.

Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (34Ø-7C) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
34Ø-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
356-NU	OTHER PAYER CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
992-MJ	OTHER PAYER GROUP ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"		Claim Billing/Claim Re-bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
142-UV	OTHER PAYER PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number of the other payer to the receiver. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Claim Billing/Claim Re-bill Accepted/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	

Response Transaction Header Segment		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Identification (111-AM) = "20"		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Insurance Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Response Insurance Segment Segment Identification (111-AM) = “25”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	GROUP ID		R	<i>Imp Guide:</i> Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available. Required to identify the actual group that was used when multiple group coverages exist. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
302-C2	CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if the identification to be used in future transactions is different than what was submitted on the request. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Patient Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent when known by plan

Response Patient Segment Segment Identification (111-AM) = “29”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
310-CA	PATIENT FIRST NAME		RW	<i>Imp Guide:</i> Required if known. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
311-CB	PATIENT LAST NAME		RW	<i>Imp Guide:</i> Required if known. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Patient Segment Segment Identification (111-AM) = “29”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	DATE OF BIRTH		RW	<i>Imp Guide:</i> Required if known. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = “21”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER			<i>Imp Guide:</i> Required if needed to identify the transaction. <i>Payer Requirement:</i> (any unique payer requirement(s))
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Segment Identification (111-AM) = “21”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
Response Claim Segment Questions		Check	Claim Billing/Claim Re-bill Accepted/Rejected If Situational, Payer Situation	
This Segment is always sent		X		

Response Claim Segment Segment Identification (111-AM) = “22”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of “B1,” in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent when DUR intervention is encountered during claim adjudication.

Response DUR/PPS Segment Segment Identification (111-AM) = “24”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if utilization conflict is detected. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response DUR/PPS Segment Segment Identification (111-AM) = “24”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
530-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
531-FV	QUANTITY OF PREVIOUS FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (530-FU) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response DUR/PPS Segment Segment Identification (111-AM) = “24”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
570-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Prior Authorization Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent when claim adjudication outcome requires subsequent PA number for payment

Response Prior Authorization Segment Segment Identification (111-AM) = “26”		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PY	PRIOR AUTHORIZATION NUMBER–ASSIGNED		RW	<i>Imp Guide:</i> Required when the receiver must submit this Prior Authorization Number in order to receive payment for the claim. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Re-bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		

This Segment is situational	X	Sent when Other Health Insurance (OHI) is encountered during claim processing.
-----------------------------	---	--

Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (340-7C) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
340-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
356-NU	OTHER PAYER CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"		Claim Billing/Claim Re-bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
992-MJ	OTHER PAYER GROUP ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
142-UV	OTHER PAYER PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
127-UB	Other Payer Help Desk Phone Number		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number of the other payer to the receiver. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Claim Billing/Claim Re-bill Rejected/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Re-bill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Billing/Claim Re-bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Re-bill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Segment Identification (111-AM) = "20"		Claim Billing/Claim Re-bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Questions	Check	Claim Billing/Claim Re-bill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = “21”		Claim Billing/Claim Re-bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
End of Response Claim Billing/Claim Re-bill (B1/B3) Payer Sheet				

NCPDP Version D Claim Reversal

Request Claim Reversal Payer Sheet

****Start of Request Claim Reversal (B2) Payer Sheet****

General Information

Payer Name: Prime Therapeutics Management LLC	Date: May 1, 2016	
Plan Name/Group Name: Prime Therapeutics Management Employees	BIN: 017035	PCN: 605
Plan Name/Group Name: Prime Therapeutics Commercial – CBA Blue	BIN: 017449	PCN: CBG
Plan Name/Group Name: Prime Therapeutics Commercial – Legacy Partners Rx Clients	BIN: 015243	PCN: PRX1000
Plan Name/Group Name: Prime Therapeutics Commercial – Lucent Technologies	BIN: 017465	PCN: LUCENT
Plan Name/Group Name: Prime Therapeutics – Commercial Standard	BIN: 017449	PCN: 6792000
Plan Name/Group Name: Prime Therapeutics Commercial – Employee Benefit Management Services	BIN: 017431	PCN: EBMS
Plan Name/Group Name: FlexScripts	BIN: 017472	PCN: FLEXRX

Claim Reversal Transaction

The following lists the segments and fields in a Claim Reversal Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.0.

Transaction Header Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Payer Issued	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Switch/VAN issued		

Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used		
---	--	--

Transaction Header Segment		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø1-A1	BIN NUMBER	See above	M	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER	See above	M	<i>Payer Requirement:</i> Required for all claims – send PCN on member card
1Ø9-A9	TRANSACTION COUNT	1–4	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	01-NPI	M	
2Ø1-B1	SERVICE PROVIDER ID		M	<i>Payer Requirement:</i> Send NPI of submitting pharmacy provider
4Ø1-D1	DATE OF SERVICE		M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	Required when vendor certification is required by Prime Therapeutics Management LLC – otherwise submit all zeroes

Insurance Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Insurance Segment Segment Identification (111-AM) = “Ø4”		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø2-C2	CARDHOLDER ID		M	
3Ø1-C1	GROUP ID		RW	<i>Imp Guide:</i> Required if needed to match the reversal

Insurance Segment Segment Identification (111-AM) = “Ø4”		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usag e	Payer Situation
				to the original billing transaction. <i>Payer Requirement: Same as Imp Guide</i>

Claim Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER		M	<i>Imp Guide:</i> For Transaction Code of “B2,” in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER		M	
4Ø7-D7	PRODUCT/SERVICE ID		M	
4Ø3-D3	FILL NUMBER		R	<i>Imp Guide:</i> Required if needed for reversals when multiple fills of the same Prescription/Service Reference Number (4Ø2-D2) occur on the same day. <i>Payer Requirement: Same as Imp Guide</i>
3Ø8-C8	OTHER COVERAGE CODE		RW	<i>Imp Guide:</i> Required if needed by receiver to match the claim that is being reversed.

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				<i>Payer Requirement: Same as Imp Guide</i>

Pricing Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Pricing Segment Segment Identification (111-AM) = “11”		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
438-E3	INCENTIVE AMOUNT SUBMITTED		RW	<i>Imp Guide: Required if this field could result in contractually agreed upon payment. Payer Requirement: Same as Imp Guide</i>
43Ø-DU	GROSS AMOUNT DUE		RW	<i>Imp Guide: Required if this field could result in contractually agreed upon payment. Payer Requirement: Same as Imp Guide</i>

End of Request Claim Reversal (B2) Payer Sheet				
--	--	--	--	--

Response Claim Reversal Payer Sheet

Claim Reversal Accepted/Approved Response

****Start of Claim Reversal Response (B2) Payer Sheet****

General Information

Payer Name: Prime Therapeutics Management LLC	Date: May 1, 2016	
Plan Name/Group Name: Prime Therapeutics Management Employees	BIN: 017035	PCN: 605
Plan Name/Group Name: Prime Therapeutics Commercial – CBA Blue	BIN: 017449	PCN: CBG
Plan Name/Group Name: Prime Therapeutics Commercial – Legacy Partners Rx Clients	BIN: 015243	PCN: PRX1000
Plan Name/Group Name: Prime Therapeutics Commercial – Lucent Technologies	BIN: 017465	PCN: LUCENT
Plan Name/Group Name: Prime Therapeutics – Commercial Standard	BIN: 017449	PCN: 6792000
Plan Name/Group Name: Prime Therapeutics Commercial – Employee Benefit Management Services	BIN: 017431	PCN: EBMS
Plan Name/Group Name: FlexScripts	BIN: 017472	PCN: FLEXRX

Claim Reversal Accepted/Approved Response

The following lists the segments and fields in a Claim Reversal response (Approved) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Response Transaction Header Segment Questions		Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation	
This Segment is always sent		X		

Response Transaction Header Segment		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	D0	M	

Response Transaction Header Segment		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Provide general information when used for transmission-level messaging.

Response Message Segment Segment Identification (111-AM) = “20”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = “21”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	A = Approved	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Approved Message Code (548-6F) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
548-6F	APPROVED MESSAGE CODE		RW	<i>Imp Guide:</i> Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Segment Identification (111-AM) = “21”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

Response Claim Segment Segment Identification (111-AM) = “22”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of “B2”, in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).

Response Claim Segment Segment Identification (111-AM) = “22”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent if reversal results in generation of pricing detail.

Response Pricing Segment Segment Identification (111-AM) = “23”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
521-FL	INCENTIVE AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this field is reporting a contractually agreed upon payment. <i>Payer Requirement:</i> Same as Imp Guide
509-F9	TOTAL AMOUNT PAID		RW	<i>Imp Guide:</i> Required if any other payment fields sent by the sender. <i>Payer Requirement:</i> Same as Imp Guide

Claim Reversal Accepted/Rejected Response

Response Transaction Header Segment Questions		Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation	
This Segment is always sent		X		

Response Transaction Header Segment		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	

Response Transaction Header Segment		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Identification (111-AM) = “20”		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Identification (111-AM) = “21”		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	

Response Status Segment Segment Identification (111-AM) = “21”		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Segment Identification (111-AM) = “21”		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Claim Segment Segment Identification (111-AM) = “22”		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of “B2,” in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).

Response Claim Segment Segment Identification (111-AM) = "22"		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Claim Reversal Rejected/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Reversal – Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Segment Identification (111-AM) = "2Ø"		Claim Reversal – Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Reversal – Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>

Response Status Segment Segment Identification (111-AM) = "21"		Claim Reversal – Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Same as <i>Imp Guide</i>
End of Claim Reversal (B2) Response Payer Sheet				

Revision History

Date	Name	Comments
08/01/2014	Implementation team	Initial creation
07/24/2020	Steven Giera	Added quantity prescribed field (# 46Ø-ET) required for Schedule II drugs in Claim Segment Ø7
	Documentation Management team	Rebranded; reformatted; updated and standardized naming conventions; and added Revision History table
10/10/2022	Documentation Management team	Updated document to reference current company name.